

MECTIN POUR ON



READ THE ENTIRE LABEL BEFORE USE

WARNING

Combustible liquid
Dangerous to the Environment
Handling Precautions:

Keep away from heat/sparks/open flames/hot surfaces. Wear protective gloves/protective clothing/eye protection/face protection. Keep closed when not in use. Very toxic to aquatic organisms and terrestrial invertebrates. Toxic to the soil environment. Harmful to terrestrial vertebrates. Avoid contamination of any water supply with product or empty container. Avoid release to the environment. Abamectin may be harmful if swallowed, inhaled or absorbed through the skin. May cause mild skin and eye irritation. Repeated exposure may cause skin allergy. Abamectin may possibly affect development and/or reproduction and may have effects on/or via lactation. Diethylene glycol monobutyl ether may possibly affect kidney if swallowed and liver if inhaled. Wash hands and exposed skin before meals and after use. Do not eat, drink or smoke when using this product. Do not inhale vapour. Avoid skin and eye contact.

First Aid:

If swallowed do NOT induce vomiting. If skin or hair contact occurs remove contaminated clothing and flush skin and hair with running water. If splashed in eyes wash out immediately with water. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

Emergency Response:

In case of spillage wear appropriate protective clothing. Prevent material from entering waterways and absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material.

Disposal:

Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility.

INDICATIONS

Mectin Pour On, when used at the recommended dose level of 500 mcg abamectin per kg liveweight, effectively controls the following parasites of cattle:

Gastro-intestinal roundworms: adult and immature *Ostertagia* spp (including inhibited immatures), *Haemonchus* spp, *Trichostrongylus* spp, *Cooperia* spp, *Bunostomum* spp, *Oesophagostomum* spp, and adults of *Chabertia* spp, *Nematodirus* spp, *Trichuris* spp and *Strongyloides* spp.

Lungworms: adult and immature *Dictyocaulus viviparus*.
Biting and Sucking Lice: *Bovicola bovis*, *Linognathus vituli*.

DIRECTIONS FOR USE

Mectin Pour On contains 10 mg/mL abamectin, a member of the macrocyclic lactone group of compounds. It is effective against internal and external parasites sensitive to this family. Resistance can develop to any anthelmintic.

Check the effectiveness of anthelmintics at least annually. Follow recommended parasite management practices to reduce the potential for resistance to develop. Check accuracy of pour-on applicator regularly. A representative sample of animals should be weighed before treatment. Dose rate to be based on heaviest cattle in each group (bulls, cows, steers, calves etc). Do not under-dose. Where there is a large variation in size within the group, draft into two or more lines based on bodyweight, to avoid excessive overdosing. Ready for use with standard pour-on equipment. Apply along the backline from shoulders to tail.

DOSAGE:

The dose rate for cattle is 500 µg abamectin per kg bodyweight; which is provided by **1 mL Mectin Pour On per 20 kg bodyweight**, or according to the following table:

WEIGHT RANGE	DOSE VOLUME
Up to 50 kg	2.5 mL
51 - 100 kg	5 mL
101 - 150 kg	7.5 mL
151 - 200 kg	10 mL
201 - 250 kg	12.5 mL
251 - 300 kg	15 mL
301 - 350 kg	17.5 mL
351 - 400 kg	20 mL
401 - 450 kg	22.5 mL
451 - 500 kg	25 mL
501 - 550 kg	27.5 mL
551 - 600 kg	30 mL
601 - 650 kg	32.5 mL

Heavier animals (e.g. mature bulls) should receive an additional 1 mL for each 20 kg over 650 kg.

WITHHOLDING PERIODS

Milk: Nil

Meat: Cattle producing meat or offal for human consumption must not be sold for slaughter during or within **35 days** of the last treatment.

Store below 25°C.

Registered pursuant to the ACVM Act 1997, No. A10046.
See www.nzfsa.govt.nz/acvm for registration conditions.

Registered to: Seneca Holdings Ltd



Distributed by:
The Drench Company Limited
0800 11 8888

Approved pursuant to the HSN0 Act 1996, approval code HSR007710.
See www.ermanz.govt.nz for controls.

Batch No.:

Expiry date:



LMP05B/02



Our name says it all

ART APPROVAL

- Please proceed, this art is approved
 Please make these changes and re-proof
 Please make these changes and proceed with printing

Name:

Signature:

Date Approved:

Our Job No.:

» Xact Labelling Limited
Harbourside Business Park
Unit D, 483 Rosebank Rd, Avondale
P O Box 71073, Auckland 1230.
T +64 9 985 3000
F +64 9 985 3029
Freephone 0800 xact4u
www.xactlabels.co.nz



BLACK