

Noromectin Pour-on for Cattle

Noromectin Pour-on for Cattle & Deer is a ready to use solution containing Ivermectin 5mg/mL, a broad-spectrum antiparasitic treatment for cattle and deer

INDICATIONS:

Cattle: Indicated for the treatment and control of parasites sensitive to Ivermectin; including the following- **Gastrointestinal roundworms**, adult; (including 4th stage-'L4*'); (including arrested or hypobiotic stages**); *Ostertagia ostertagi***, *Haemonchus spp***, *Trichostrongylus axei**, *Trichostrongylus colubriformis**, *Cooperia oncophora ** *Cooperia punctata**, *Oesophagostomum radiatum**, *O.venulosum*, *Nematodirus spp**, *Strongyloides papillosus* (not recorded in NZ)

Lungworms (immature and adult): *Dictyocaulus viviparus*

Mites: *Chorioptes bovis*

Sucking & Biting Lice: *Linognathus vituli*, *Haematopinus eurysternus*, *Solenopotes capillatus*; *Bovicola bovis*

Persistent Activity: Given at the recommended dose rate, Noromectin Pour-On effectively controls infections with *Ostertagia spp.* acquired up to 14 days after treatment: and *Dictyocaulus viviparus* acquired up to 28 days after treatment.

ADMINISTRATION:

NOROMECTIN Pour-On is a ready to use solution. Apply topically along the midline of the back from the withers to the base of the tail.

DOSE RATE: 1ml per 10kg bodyweight

Weight Range	Dose Volume
Up to 100kg	Up to 10ml
101-150kg	10-15ml
151-200kg	15-20ml
201-250kg	20-25ml
251-300kg	25-30ml
301-350kg	30-35ml
351-400kg	35-40ml
401-450kg	40-45ml
451-500kg	45-50ml
501-550kg	50-55ml
551-600kg	55-60ml
601-650kg	60-65ml

Noromectin Pour-on for Cattle and Deer has a wide safety margin and may be used at the recommended dose in cattle and deer of all ages and in breeding animals.

WITHHOLDING PERIODS

Meat -Cattle producing meat and offal for human consumption must not be slaughtered within 21days after treatment

Milk - Milk intended for human consumption or manufacture for human consumption must be discarded during treatment and for 144 hours (11 milkings) following the last treatment

Registered pursuant to the ACVM Act 1997 No 8032